



Command= 210-

Point#, Start#-End# or G#= 1-1875

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----09-04-2023-----14:05:18-----D:\BENCH FILES\BM6							
			sethub	1	5261.9508	5098.6151	OCC
			sethub	2	5081.0201	5110.7670	TRA
			sethub	3	5087.2897	4955.3577	TRA
			setpk	4	5086.2481	4704.1667	TRA
			setpk	5	5337.2472	4782.6892	TRA
			sethub	6	5285.8641	4983.0504	TRA
			corbarn	7	5252.1088	5006.2782	SS
			corbarn	8	5252.2321	5040.5428	SS
			fndipin	9	5246.7356	5080.4310	SS
			pole641	10	5253.3070	5093.9762	SS
			corbld	11	5218.0234	5040.8753	SS
			corbld	12	5191.3644	5048.0997	SS
			corhse	13	5183.4346	5070.5541	SS
			endfnc	14	5200.5972	5083.8296	SS
			corfnc	15	5179.1276	5085.4695	SS
			endfnc	16	5214.8254	5082.7322	SS
			endfnc	17	5226.0571	5081.9353	SS
			cldrep	18	5209.1265	5108.7616	SS
			cldrep	19	5234.5607	5106.1965	SS
			cbasin	20	5337.7443	5131.2732	SS
			cbasin	21	5123.3003	5149.3751	SS
			pole55	22	5231.9961	5144.3364	SS
			postmbx	23	5218.6443	5096.6140	SS
			corhse	24	5154.9680	5071.6216	SS
			endwll	25	5143.6366	5085.8286	SS
			corwll	26	5139.9504	5033.5943	SS
			pole640	27	5124.3557	5100.0964	SS
			pole	28	5147.2194	5151.5052	SS
			cbasin	29	5110.6297	5108.0944	SS
			fndipin	30	5076.0841	5100.6466	SS
			corhse	31	5068.6262	5090.5426	SS
			corhse	32	5071.3106	5053.4841	SS
			fndip	33	5010.2498	5108.7146	SS
			cbasin	34	5019.9076	5118.1768	SS
			fndipin	35	5073.6007	5053.5057	SS
			endfnc	36	4925.2046	4986.8175	SS
			endfnc	37	5010.5605	4987.4753	SS
			fndip	38	4999.4825	4999.9028	SS
			corhse	39	5045.0604	5005.1519	SS
			cbasin	40	5058.3136	4996.0196	SS
			granbnd	41	5061.8268	5001.0864	SS
			corhse	42	5065.1446	5002.7599	SS
			corfnc	43	5106.4232	4906.7477	SS
			fnc	44	5104.2699	4954.5372	SS
			corfnc	45	5104.4557	5006.5144	SS
			corhse	46	5161.4186	5008.5521	SS

JOB #7 227irwin [1875]

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----09-04-2023-----14:05:18-----D:\BENCH FILES\BM6							
			corhse	47	5178.5093	5007.9006	SS
			corhse	48	5217.6882	5024.6162	SS
			corhse	49	5217.5625	5005.6125	SS
			corhse	50	5227.2222	4985.5850	SS
			corfnc	51	5191.5573	4967.2179	SS
			corfnc	52	5190.3576	4991.5872	SS
			corfnc	53	5151.3577	4990.1384	SS
			corfnc	54	5152.3107	4965.5176	SS
			stkfd	55	5132.2873	4837.8913	SS
			fndip	56	5081.9380	4837.4190	SS
			rodbysue	57	5071.6579	4839.2048	SS
			smh	58	5071.1817	4825.7770	SS
			corhse	59	5068.1998	4776.8700	SS
			corhse	60	5069.4667	4752.6020	SS
			cbasin	61	5084.8461	4729.0172	SS
			hydrant	62	5134.2068	4746.8921	SS
			pine	63	5143.7406	4784.4671	SS
			treeline	64	5177.9231	4787.7673	SS
				65	5231.0272	4791.8478	SS
			fncline	66	5214.0521	4781.5970	SS
			fncline	67	5169.1026	4777.3090	SS
			oldpost*	68	5156.8757	4776.2541	SS
			fndipdn1	69	5091.8367	4742.7036	SS
			fndip	70	5104.4734	4694.9351	SS
			fndipin	71	5228.0889	4715.0988	SS
			fndipin	72	5294.8726	4726.4078	SS
			oldfpst*	73	5304.0698	4789.7962	SS
			stone	74	5331.1923	4796.8707	SS
			corbld	75	5332.0061	4809.0125	SS
			corbld	76	5351.9574	4812.5528	SS
			corpav	77	5328.3414	4789.5794	SS
			corpav	78	5332.4276	4771.1774	SS
			cbasin	79	5312.3332	4766.0670	SS
			corpav	80	5350.4613	4793.4162	SS
			smh	81	5341.6855	4759.6223	SS
			corfnc	82	5279.9072	4817.9802	SS
			fndipin	83	5319.6058	4824.4673	SS
			corbarn	84	5241.3732	4985.5311	SS
			endfnc	85	5217.4771	4975.1660	SS
			endfnc	86	5215.8912	4903.0419	SS
			corshed	87	5224.1559	4901.6332	SS
			corshed	88	5244.1487	4905.1461	SS
			wall	89	5273.8458	4875.5703	SS
			endfnc	90	5278.5804	4827.7812	SS
			wall	91	5265.8303	4938.3769	SS
			wall	92	5259.6893	4979.7668	SS
			endgdwl1	93	5256.1507	5013.0022	SS
			fndip	94	5711.5583	5014.7122	SS
				95	5141.1379	4751.0339	TRA
				96	5132.1241	4838.2735	TRA
				97	5327.4963	4782.5225	TRA
				98	5160.8583	4754.3661	TRA
				99	5150.0670	4858.8101	TRA
			plan	100	5000.0000	5000.0000	
			plan	101	5065.2862	5001.3444	TRA
			plan	102	5091.8367	4742.7036	TRA
			plan	103	5338.3426	4784.3552	TRA
			plan	104	5310.6607	4825.2586	TRA

JOB #7 227irwin [1875]

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----	-----	-----	-----	-----	-----	-----	-----
		-09-04-2023		14:05:18		D:\BENCH FILES\BM6	
			plan	105	5532.0557	4862.5281	TRA
			plan	106	5533.0316	4867.5440	TRA
			plan	107	5600.6211	4852.8422	TRA
			plan	108	5637.7040	5029.7779	TRA
			plan	109	5711.1199	5014.7412	TRA
			plan	110	5082.1355	4837.2070	TRA
			plan	111	5368.9093	4789.5198	TRA
			plan	112	5378.9054	4730.3584	TRA
			plan	113	5322.4364	4710.0790	TRA
			plan	114	5298.9077	4701.6292	TRA
			plan	115	5294.7426	4726.2798	TRA
			plan	116	5227.9198	4714.9893	TRA
			plan	117	5104.6667	4694.1641	TRA
			STATION	118	-87114.2439	-10887.4018	TRA
			plan	119	5668.7994	4836.4551	TRA
			plan	120	5735.1222	4821.1761	TRA
			plan	121	5802.2048	4804.6846	TRA
			plan	122	5904.1590	4779.9570	TRA
			plan	123	5831.0165	4734.3432	TRA
			plan	124	5774.6155	4764.9700	TRA
			plan	125	5758.0030	4766.0865	TRA
			plan	126	5702.5883	4753.1265	TRA
			plan	127	5669.6520	4765.4604	TRA
			plan	128	5641.6416	4756.6276	TRA
	76.89			129	5596.9480	4694.0612	TRA
			plan	130	5558.4602	4654.2411	TRA
			plan	131	5476.2889	4595.5140	TRA
			plan	132	5025.0907	4437.3102	TRA
			plan	133	4977.9725	4597.2438	TRA
			plan	134	4957.8952	4674.4045	TRA
			plan	135	4937.2350	4792.6552	TRA
			plan	136	4932.1386	4834.0023	TRA
			plan	137	4913.1773	4987.8381	TRA
			plan	138	4911.9540	4997.7630	TRA
			plan	139	4999.9857	4999.9956	TRA
			plan	140	5141.1907	4478.0184	TRA
			plan	141	4945.1464	4747.3508	TRA
			plan	142	4969.7737	4751.6514	TRA
			plan	143	4973.0775	4726.8707	TRA
			plan	144	5260.8768	4519.9839	TRA
			plan	145	4965.0090	4647.0649	TRA
			plan	146	5066.3073	4991.3967	TRA
			pi	147	4949.2769	4723.6976	INT
			plan	148	5536.5982	4866.7683	TRA
			plan	149	5246.6946	5080.4353	INT
			deed	150	5246.7356	5080.4310	
			deed	151	5076.1051	5100.7833	TRA
			deed	152	5073.1299	5053.9177	TRA
			deed	153	5065.3245	5001.3540	TRA
			deed	154	5068.6763	4760.7274	TRA
			deed	155	5338.3934	4784.3549	TRA
			deed	156	5318.9979	4825.4365	TRA
			deed	157	5280.7670	4819.6920	TRA
			plan	158	5252.1461	5040.4544	TRA
			plan	159	5246.7465	5080.4011	TRA
			sethub	160	4896.3191	4693.4699	TRA
			fndip	161	4962.5546	4647.7722	SS
			oldmetps	162	4944.3756	4724.1408	SS

JOB #7 227irwin [1875]

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----09-04-2023-----14:05:18-----D:\BENCH FILES\BM6							
			bksdwlk	163	4920.4363	4836.7341	SS
			ipin	164	4911.9549	4998.1689	SS
			fndip	165	5536.7997	4866.8840	TRA
			fndipin	166	4911.3636	4988.1157	SS
			fndipin	167	4911.9428	4998.1795	SS
				168	6527.0554	14459.5703	TRA
				169	5065.2862	5001.3444	TRA
				170	5605.1691	5012.3627	TRA
			calpin	171	5065.2755	5001.0715	INT
			calpin	172	5076.0668	5100.7820	TRA
			calpin	173	5076.1116	5100.8376	SS
				174	7036.6803	22896.5102	TRA
				175	7031.4096	22922.4819	TRA
				176	5061.8251	5001.1700	SS
				177	5246.9695	4889.0921	TRA
				178	5226.9768	4885.5791	TRA
				179	5273.2128	4880.5300	TRA
			durg	180	5076.3632	5100.6310	
			durg	181	5011.8560	5108.6198	TRA
			durg	182	4999.8806	4999.6603	TRA
			durg	183	5065.5357	5001.0579	TRA
			durg	184	5073.6063	5053.6118	TRA
			durg	185	5076.3632	5100.6310	TRA
				186	5061.8230	5001.2686	SS
				187	4996.1624	4999.8916	SS
				188	5061.8230	5001.2686	TRA
				189	5061.8231	5001.2694	TRA
				190	5068.5351	5001.1217	TRA
				191	4468.9493	4989.3273	TRA
				192	5076.1211	5100.9167	INT
				193	5246.5788	5079.5166	TRA
				194	5076.1116	5100.8376	TRA
				195	5068.2855	5001.4083	TRA
				196	5076.1054	5100.7778	TRA
				197	4894.6621	5021.7510	SS
				198	5076.1116	5100.8376	TRA
				199	5249.2259	4876.2993	INT
				200	5252.9366	5185.8607	TRA
				201	5202.9479	5184.7942	TRA
				202	5212.6491	5090.2908	TRA
				203	5261.9503	5098.6211	TRA
				204	5243.9223	5273.1062	TRA
				205	5193.9337	5272.0397	TRA
				206	5203.6349	5177.5364	TRA
				207	5252.9360	5185.8667	TRA
				208	5102.9507	5182.6607	TRA
				209	5108.0470	5141.3136	TRA
				210	5115.9584	5096.0092	TRA
				211	5140.5857	5100.3098	RP
				212	5143.8784	5075.5276	PT
				213	5262.6376	5091.3606	TRA
				214	5252.9364	5185.8639	TRA
				215	5225.2547	5226.7641	TRA
				216	5195.3586	5221.1971	TRA
				217	5188.1242	5279.5302	TRA
				218	5063.9765	5267.2857	TRA
				219	5075.4871	5155.8788	TRA
				220	5252.9714	5185.8679	TRA

JOB #7 227irwin [1875]

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----09-04-2023-----				14:05:18	-----D:\BENCH FILES\BM6		
				221	5149.3477	4865.7730	TRA
				222	5273.5326	4878.0251	TRA
				223	5082.1355	4837.2070	TRA
				224	5132.1241	4838.2735	TRA
				225	5141.1374	4751.0379	TRA
				226	5160.8578	4754.3700	TRA
				227	5149.3472	4865.7770	TRA
				228	5273.5343	4878.0290	TRA
				229	5265.8321	4938.3795	TRA
				230	5259.6915	4979.7664	TRA
				231	5256.1532	5012.9986	TRA
				232	5252.1490	5040.4481	TRA
				233	5246.7386	5080.4236	TRA
				234	5076.0917	5100.6386	TRA
				235	5073.6082	5053.4940	TRA
				236	5068.2929	5001.3944	TRA
				237	5065.2935	5001.3326	TRA
				238	5073.6063	5053.6118	TRA
				239	5068.2799	5001.1515	INT
				240	5065.4767	5002.7757	TRA
				241	5065.5332	5001.1717	TRA
				242	5061.8291	5000.9790	INT
				243	5068.5455	5001.2294	INT
				244	5065.3050	5001.1604	INT
				245	5065.1407	5001.1493	TRA
				246	5068.1401	5001.2062	TRA
				247	5065.3059	5001.1524	INT
				248	5068.3053	5001.2094	TRA
			setip	250	5273.5261	4878.0830	TRA
			setip	251	5311.9197	4823.4044	TRA
			setrrspk	252	5338.3405	4784.3520	SS
			setip	253	5082.1356	4837.1932	SS
			setip	254	5132.1246	4838.2770	SS
			setip	255	5149.3474	4865.7643	SS
			setip	256	5141.1391	4751.0227	SS
			setip	257	5160.8515	4754.3478	SS
			fndipin	258	5068.3277	5001.2116	SS
			fndipin	259	5065.4525	5001.3353	SS
			fndipin	260	5065.4604	4991.2040	SS
			10	261	4955.2862	5001.3119	TRA
				262	5066.3073	4991.3967	TRA
				263	4913.1387	4988.1513	INT
				264	4913.1637	4988.2543	TRA
				265	5065.3305	5001.3406	TRA
				266	5082.1514	4837.2086	TRA
				267	5132.1400	4838.2751	TRA
				268	5311.4678	4824.0660	TRA
				269	5311.9162	4823.4035	TRA
				270	5068.2833	5001.2136	TRA
				271	5065.3499	5001.1543	INT
				272	5065.3284	5001.2762	INT
				273	5065.2933	5001.2748	TRA
				274	5065.3283	5001.1538	TRA
				275	5065.1407	5001.1493	TRA
				276	5068.1401	5001.2062	TRA
				277	5065.3283	5001.1546	TRA
				278	5065.3057	5001.1542	INT
			corfnd	279	5055.2992	4987.0058	SS

JOB #7 227irwin [1875]

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----09-04-2023-----14:05:18-----D:\BENCH FILES\BM6							
			corfnd	280	5052.8222	4952.3329	SS
			corfnd	281	5027.7369	4964.8211	SS
			corfnd	282	5029.3322	4988.7522	SS
			fndipin	283	4911.3518	4988.1073	SS
			corstep	284	5058.6292	4931.0352	SS
				285	5066.6386	4988.1699	INT
				286	5029.2956	4990.4047	INT
				287	5541.3665	5000.7670	INT
				288	5066.3253	4991.2214	INT
				289	4913.1397	4988.1432	INT
				290	4913.1763	4988.1520	INT
				299	4931.6505	4837.9628	INT
			plan	300	4999.9541	5000.1286	
			plan	301	5065.2729	5001.4738	TRA
			plan	302	5091.8367	4742.7036	TRA
			plan	303	5338.4658	4784.3760	TRA
			plan	304	5310.7701	4825.2999	TRA
			plan	305	5532.2758	4862.5880	TRA
			plan	306	5533.2522	4867.6065	TRA
			plan	307	5600.8755	4852.8972	TRA
			plan	308	5637.9769	5029.9215	TRA
			plan	309	5711.4296	5014.8772	TRA
			plan	310	5082.1307	4837.2542	TRA
			plan	311	5369.0478	4789.5432	TRA
			plan	312	5379.0489	4730.3522	TRA
			plan	313	5322.5517	4710.0627	TRA
			plan	314	5299.0112	4701.6087	TRA
			plan	315	5294.8441	4726.2716	TRA
			plan	316	5227.9878	4714.9754	TRA
			plan	317	5104.6731	4694.1398	TRA
			STATION	318	-87160.3470	-10895.2169	TRA
			plan	319	5669.0879	4836.5020	TRA
			plan	320	5735.4439	4821.2154	TRA
			plan	321	5802.5600	4804.7156	TRA
			plan	322	5904.5652	4779.9756	TRA
			plan	323	5831.3861	4734.3390	TRA
			plan	324	5774.9569	4764.9811	TRA
			plan	325	5758.3361	4766.0982	TRA
			plan	326	5702.8937	4753.1317	TRA
			plan	327	5669.9409	4765.4718	TRA
			plan	328	5641.9165	4756.6345	TRA
	76.89			329	5597.2006	4694.0369	TRA
			plan	330	5558.6936	4654.1969	TRA
			plan	331	5476.4811	4595.4404	TRA
			plan	332	5025.0573	4437.1575	TRA
			plan	333	4977.9156	4597.1711	TRA
			plan	334	4957.8282	4674.3704	TRA
			plan	335	4937.1577	4792.6802	TRA
			plan	336	4932.0588	4834.0479	TRA
			plan	337	4913.0880	4987.9607	TRA
			plan	338	4911.8640	4997.8906	TRA
			plan	339	4999.9397	5000.1243	TRA
			plan	340	5141.2154	4477.8860	TRA
			plan	341	4945.0730	4747.3531	TRA
			plan	342	4969.7127	4751.6559	TRA
			plan	343	4973.0181	4726.8627	TRA
			plan	344	5260.9613	4519.8726	TRA
			plan	345	4964.9456	4647.0170	TRA

JOB #7 227irwin [1875]

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----09-04-2023-----14:05:18-----D:\BENCH FILES\BM6							
			plan	346	5066.2946	4991.5211	TRA
			pi	347	4949.2056	4723.6881	INT
			plan	348	5536.8206	4866.8303	TRA
			plan	349	5246.7721	5080.6042	INT
				350	5045.1506	5000.9158	INT
				351	5065.1748	5001.3421	INT
				352	5068.3896	5002.4289	INT
				353	5068.2855	5001.4062	TRA
				354	5311.2520	5106.9454	TRA
				355	5302.2377	5194.1910	TRA
				356	5252.2491	5193.1245	TRA
				357	5261.9503	5098.6211	TRA
				358	5252.9376	5185.8507	TRA
				359	5202.9490	5184.7842	TRA
				360	5212.6501	5090.2809	TRA
				361	5261.9513	5098.6112	TRA
				362	5273.4614	4987.2082	TRA
				363	5450.9456	5017.1973	TRA
				364	5423.6786	5057.4879	TRA
				365	5393.3707	5052.5341	TRA
				366	5386.1297	5110.9269	TRA
				367	5261.9821	5098.6824	TRA
				368	5311.0755	4824.6457	TRA
				370	5273.4614	4987.2082	TRA
				371	5450.9456	5017.1973	TRA
				372	5423.6786	5057.4879	TRA
				373	5393.3707	5052.5341	TRA
				374	5386.1297	5110.9269	TRA
				375	5261.9494	5098.6062	TRA
				376	5273.4614	4987.2082	TRA
				377	5450.9456	5017.1973	TRA
				378	5423.6786	5057.4879	TRA
				379	5393.3707	5052.5341	TRA
				380	5386.1297	5110.9269	TRA
				381	5261.9494	5098.6062	TRA
				382	5311.9394	5099.6816	TRA
				383	5320.9526	5012.4460	TRA
				384	5340.6731	5015.7781	TRA
				385	5329.1625	5127.1851	TRA
				386	5453.3428	5139.5058	TRA
				387	5445.6473	5199.7966	TRA
				388	5439.5067	5241.1835	TRA
				389	5435.9684	5274.4157	TRA
				390	5432.0495	5301.9583	TRA
				391	5426.5523	5341.8513	TRA
				392	5255.9054	5321.6363	TRA
				393	5253.4219	5274.4917	TRA
				394	5248.1489	5222.1969	TRA
				395	5245.1294	5222.1395	TRA
				396	5261.6530	5061.1754	TRA
				397	5132.1241	4838.2735	TRA
				398	5141.1374	4751.0379	TRA
				399	5160.8578	4754.3700	TRA
				400	5149.3472	4865.7770	TRA
				401	5273.5275	4878.0976	TRA
				402	5265.8320	4938.3885	TRA
				403	5259.6914	4979.7754	TRA
				404	5256.1531	5013.0076	TRA



JOB #7 227irwin [1875]

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----09-04-2023-----				14:05:18	-----D:\BENCH FILES\BM6		
				405	5252.2342	5040.5502	TRA
				406	5246.7370	5080.4432	TRA
				407	5076.0902	5060.2282	TRA
				408	5073.6066	5013.0836	TRA
				409	5068.3336	4960.7887	TRA
				410	5065.3141	4960.7313	TRA
				411	5082.1441	4796.7829	TRA
				412	5311.9394	5099.6816	TRA
				413	5320.9526	5012.4460	TRA
				414	5340.6731	5015.7781	TRA
				415	5329.1625	5127.1851	TRA
				416	5453.3428	5139.5058	TRA
				417	5445.6473	5199.7966	TRA
				418	5439.5067	5241.1835	TRA
				419	5435.9684	5274.4157	TRA
				420	5432.0495	5301.9583	TRA
				421	5426.5523	5341.8513	TRA
				422	5255.9054	5362.0663	TRA
				423	5253.4219	5314.9217	TRA
				424	5248.1489	5262.6269	TRA
				425	5245.1294	5262.5695	TRA
				426	5261.9594	5098.6210	TRA
				576	5066.3251	4991.2241	INT
				577	5065.4453	4991.1552	TRA
				578	5065.4446	4991.2052	TRA

Point#, Start#-End# or G#= 4-

FB 20  
See JOB 227 (RWN)  
Bm 6 JOB



☐ Please reply ☐ No reply necessary

SIGNED

DAN -  
ORIGINAL & COPIES ENCLOSED -  
I ASSUME YOU WANT TO  
HANDLE EVERYTHING FROM  
HERE (FILING, ETC) - CALL ME IF  
ANYTHING ELSE  
KEEP YOUR CARD UP  
Today

STOCKTON SERVICES  
P.O. Box 1306  
HAMPTON, NEW HAMPSHIRE 03842  
(603) 926-7795  
To DAN WAKE

FOLLOW-UP DATE  
Date 10/11/96  
Subject COLOTTI  
19\_\_

